

ART. 026


TRI-CLAMP FITTINGS



## TRI-CLAMP MALE ADAPTOR


---

### BSPP MALE THREADED




**ART. 026/A**  
P. 095

### BSPT MALE THREADED



**ART. 026/B**  
P. 098


### NPT MALE THREADED



**ART. 026/C**  
P. 101

## ASTM A270 Flange design According to ASME-BPE

| Size   | T      | Ø A    | Ø Di  | CH     | L     | Material | Code            |
|--------|--------|--------|-------|--------|-------|----------|-----------------|
| 1/2"   | 1/8"   | 25,00  | 9,40  | 22,00  | 28,00 | 1.4404   | 026A600500012ML |
|        | 1/4"   | 25,00  | 9,40  | 22,00  | 28,00 | 1.4404   | 026A600500025ML |
|        | 3/8"   | 25,00  | 9,40  | 22,00  | 30,00 | 1.4404   | 026A600500037ML |
|        | 1/2"   | 25,00  | 9,40  | 22,00  | 35,00 | 1.4404   | 026A600500050ML |
|        | 3/4"   | 25,00  | 9,40  | 32,00  | 40,00 | 1.4404   | 026A600500075ML |
|        | 1"     | 25,00  | 9,40  | 36,00  | 40,00 | 1.4404   | 026A600500100ML |
| 3/4"   | 1/8"   | 25,00  | 15,75 | 22,00  | 28,00 | 1.4404   | 026A600750012ML |
|        | 1/4"   | 25,00  | 15,75 | 22,00  | 28,00 | 1.4404   | 026A600750025ML |
|        | 3/8"   | 25,00  | 15,75 | 22,00  | 30,00 | 1.4404   | 026A600750037ML |
|        | 1/2"   | 25,00  | 15,75 | 22,00  | 35,00 | 1.4404   | 026A600750050ML |
|        | 3/4"   | 25,00  | 15,75 | 32,00  | 40,00 | 1.4404   | 026A600750075ML |
|        | 1"     | 25,00  | 15,75 | 36,00  | 40,00 | 1.4404   | 026A600750100ML |
| 1"     | 1/8"   | 50,50  | 22,10 | 22,00  | 28,00 | 1.4404   | 026A601000012ML |
|        | 1/4"   | 50,50  | 22,10 | 22,00  | 28,00 | 1.4404   | 026A601000025ML |
|        | 3/8"   | 50,50  | 22,10 | 24,00  | 28,00 | 1.4404   | 026A601000037ML |
|        | 1/2"   | 50,50  | 22,10 | 27,00  | 28,00 | 1.4404   | 026A601000050ML |
|        | 3/4"   | 50,50  | 22,10 | 32,00  | 28,00 | 1.4404   | 026A601000075ML |
|        | 1"     | 50,50  | 22,10 | 36,00  | 28,00 | 1.4404   | 026A601000100ML |
| 1.1/2" | 1/8"   | 50,50  | 34,80 | 22,00  | 28,00 | 1.4404   | 026A601500012ML |
|        | 1/4"   | 50,50  | 34,80 | 22,00  | 28,00 | 1.4404   | 026A601500025ML |
|        | 3/8"   | 50,50  | 34,80 | 24,00  | 28,00 | 1.4404   | 026A601500037ML |
|        | 1/2"   | 50,50  | 34,80 | 27,00  | 28,00 | 1.4404   | 026A601500050ML |
|        | 3/4"   | 50,50  | 34,80 | 32,00  | 28,00 | 1.4404   | 026A601500075ML |
|        | 1"     | 50,50  | 34,80 | 36,00  | 28,00 | 1.4404   | 026A601500100ML |
|        | 1.1/4" | 50,50  | 34,80 | 46,00  | 45,00 | 1.4404   | 026A601500125ML |
|        | 1.1/2" | 50,50  | 34,80 | 46,00  | 45,00 | 1.4404   | 026A601500150ML |
| 2"     | 1/8"   | 64,00  | 47,50 | 22,00  | 32,00 | 1.4404   | 026A602000012ML |
|        | 1/4"   | 64,00  | 47,50 | 22,00  | 32,00 | 1.4404   | 026A602000025ML |
|        | 3/8"   | 64,00  | 47,50 | 24,00  | 32,00 | 1.4404   | 026A602000037ML |
|        | 1/2"   | 64,00  | 47,50 | 27,00  | 32,00 | 1.4404   | 026A602000050ML |
|        | 3/4"   | 64,00  | 47,50 | 32,00  | 32,00 | 1.4404   | 026A602000075ML |
|        | 1"     | 64,00  | 47,50 | 41,00  | 32,00 | 1.4404   | 026A602000100ML |
|        | 1.1/4" | 64,00  | 47,50 | 50,00  | 40,00 | 1.4404   | 026A602000125ML |
|        | 1.1/2" | 64,00  | 47,50 | 54,00  | 40,00 | 1.4404   | 026A602000150ML |
|        | 2"     | 64,00  | 47,50 | 65,00  | 40,00 | 1.4404   | 026A602000200ML |
| 2.1/2" | 1.1/4" | 77,40  | 60,20 | 50,00  | 37,00 | 1.4404   | 026A602500125ML |
|        | 1.1/2" | 77,40  | 60,20 | 54,00  | 37,00 | 1.4404   | 026A602500150ML |
|        | 2"     | 77,40  | 60,20 | 65,00  | 47,00 | 1.4404   | 026A602500200ML |
|        | 2.1/2" | 77,40  | 60,20 | 84,00  | 62,00 | 1.4404   | 026A602500250ML |
| 3"     | 2"     | 90,90  | 72,90 | 65,00  | 47,00 | 1.4404   | 026A603000200ML |
|        | 2.1/2" | 90,90  | 72,90 | 84,00  | 62,00 | 1.4404   | 026A603000250ML |
|        | 3"     | 90,90  | 72,90 | 95,00  | 75,00 | 1.4404   | 026A603000300ML |
| 4"     | 2.1/2" | 118,90 | 97,40 | 84,00  | 55,00 | 1.4404   | 026A604000250ML |
|        | 3"     | 118,90 | 97,40 | 95,00  | 70,00 | 1.4404   | 026A604000300ML |
|        | 4"     | 118,90 | 97,40 | 114,00 | 70,00 | 1.4404   | 026A604000400ML |


**ML**Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished

## DIN 32676

| Size  | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|-------|--------|-------|-------|-------|-------|----------|-----------------|
| DN 10 | 1/8"   | 34,00 | 10,00 | 19,00 | 28,00 | 1.4404   | 026A6D0100012ML |
|       | 1/4"   | 34,00 | 10,00 | 19,00 | 28,00 | 1.4404   | 026A6D0100025ML |
|       | 3/8"   | 34,00 | 10,00 | 30,00 | 40,00 | 1.4404   | 026A6D0100037ML |
|       | 1/2"   | 34,00 | 10,00 | 30,00 | 40,00 | 1.4404   | 026A6D0100050ML |
|       | 3/4"   | 34,00 | 10,00 | 30,00 | 40,00 | 1.4404   | 026A6D0100075ML |
|       | 1"     | 34,00 | 10,00 | 36,00 | 40,00 | 1.4404   | 026A6D0100100ML |
| DN 15 | 1/8"   | 34,00 | 16,00 | 19,00 | 28,00 | 1.4404   | 026A6D0150012ML |
|       | 1/4"   | 34,00 | 16,00 | 19,00 | 28,00 | 1.4404   | 026A6D0150025ML |
|       | 3/8"   | 34,00 | 16,00 | 30,00 | 40,00 | 1.4404   | 026A6D0150037ML |
|       | 1/2"   | 34,00 | 16,00 | 30,00 | 40,00 | 1.4404   | 026A6D0150050ML |
|       | 3/4"   | 34,00 | 16,00 | 30,00 | 40,00 | 1.4404   | 026A6D0150075ML |
|       | 1"     | 34,00 | 16,00 | 36,00 | 40,00 | 1.4404   | 026A6D0150100ML |
| DN 20 | 1/8"   | 34,00 | 20,00 | 19,00 | 28,00 | 1.4404   | 026A6D0200012ML |
|       | 1/4"   | 34,00 | 20,00 | 19,00 | 28,00 | 1.4404   | 026A6D0200025ML |
|       | 3/8"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026A6D0200037ML |
|       | 1/2"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026A6D0200050ML |
|       | 3/4"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026A6D0200075ML |
|       | 1"     | 34,00 | 20,00 | 36,00 | 40,00 | 1.4404   | 026A6D0200100ML |
| DN 25 | 1/8"   | 50,50 | 26,00 | 22,00 | 28,00 | 1.4404   | 026A6D0250012ML |
|       | 1/4"   | 50,50 | 26,00 | 22,00 | 28,00 | 1.4404   | 026A6D0250025ML |
|       | 3/8"   | 50,50 | 26,00 | 24,00 | 28,00 | 1.4404   | 026A6D0250037ML |
|       | 1/2"   | 50,50 | 26,00 | 27,00 | 28,00 | 1.4404   | 026A6D0250050ML |
|       | 3/4"   | 50,50 | 26,00 | 32,00 | 28,00 | 1.4404   | 026A6D0250075ML |
|       | 1"     | 50,50 | 26,00 | 36,00 | 28,00 | 1.4404   | 026A6D0250100ML |
| DN 32 | 1/8"   | 50,50 | 32,00 | 22,00 | 28,00 | 1.4404   | 026A6D0320012ML |
|       | 1/4"   | 50,50 | 32,00 | 22,00 | 28,00 | 1.4404   | 026A6D0320025ML |
|       | 3/8"   | 50,50 | 32,00 | 24,00 | 28,00 | 1.4404   | 026A6D0320037ML |
|       | 1/2"   | 50,50 | 32,00 | 27,00 | 28,00 | 1.4404   | 026A6D0320050ML |
|       | 3/4"   | 50,50 | 32,00 | 32,00 | 28,00 | 1.4404   | 026A6D0320075ML |
|       | 1"     | 50,50 | 32,00 | 36,00 | 28,00 | 1.4404   | 026A6D0320100ML |
|       | 1.1/4" | 50,50 | 32,00 | 46,00 | 45,00 | 1.4404   | 026A6D0320125ML |
|       | 1.1/2" | 50,50 | 32,00 | 46,00 | 45,00 | 1.4404   | 026A6D0320150ML |
| DN 40 | 1/8"   | 50,50 | 38,00 | 22,00 | 28,00 | 1.4404   | 026A6D0400012ML |
|       | 1/4"   | 50,50 | 38,00 | 22,00 | 28,00 | 1.4404   | 026A6D0400025ML |
|       | 3/8"   | 50,50 | 38,00 | 24,00 | 28,00 | 1.4404   | 026A6D0400037ML |
|       | 1/2"   | 50,50 | 38,00 | 27,00 | 28,00 | 1.4404   | 026A6D0400050ML |
|       | 3/4"   | 50,50 | 38,00 | 32,00 | 28,00 | 1.4404   | 026A6D0400075ML |
|       | 1"     | 50,50 | 38,00 | 36,00 | 28,00 | 1.4404   | 026A6D0400100ML |
|       | 1.1/4" | 50,50 | 38,00 | 46,00 | 45,00 | 1.4404   | 026A6D0400125ML |
|       | 1.1/2" | 50,50 | 38,00 | 46,00 | 45,00 | 1.4404   | 026A6D0400150ML |
| DN 50 | 1/8"   | 64,00 | 50,00 | 22,00 | 32,00 | 1.4404   | 026A6D0500012ML |
|       | 1/4"   | 64,00 | 50,00 | 22,00 | 32,00 | 1.4404   | 026A6D0500025ML |
|       | 3/8"   | 64,00 | 50,00 | 24,00 | 32,00 | 1.4404   | 026A6D0500037ML |
|       | 1/2"   | 64,00 | 50,00 | 27,00 | 32,00 | 1.4404   | 026A6D0500050ML |
|       | 3/4"   | 64,00 | 50,00 | 32,00 | 32,00 | 1.4404   | 026A6D0500075ML |
|       | 1"     | 64,00 | 50,00 | 41,00 | 32,00 | 1.4404   | 026A6D0500100ML |
|       | 1.1/4" | 64,00 | 50,00 | 50,00 | 40,00 | 1.4404   | 026A6D0500125ML |
|       | 1.1/2" | 64,00 | 50,00 | 54,00 | 40,00 | 1.4404   | 026A6D0500150ML |
|       | 2"     | 64,00 | 50,00 | 65,00 | 40,00 | 1.4404   | 026A6D0500200ML |




## ML

Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished


## ISO 1127

| Size  | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|-------|--------|-------|-------|-------|-------|----------|-----------------|
| DN 8  | 1/8"   | 34,00 | 10,30 | 19,00 | 28,00 | 1.4404   | 026A6I0080012ML |
|       | 1/4"   | 34,00 | 10,30 | 19,00 | 28,00 | 1.4404   | 026A6I0080025ML |
|       | 3/8"   | 34,00 | 10,30 | 30,00 | 40,00 | 1.4404   | 026A6I0080037ML |
|       | 1/2"   | 34,00 | 10,30 | 30,00 | 40,00 | 1.4404   | 026A6I0080050ML |
|       | 3/4"   | 34,00 | 10,30 | 30,00 | 40,00 | 1.4404   | 026A6I0080075ML |
|       | 1"     | 34,00 | 10,30 | 36,00 | 40,00 | 1.4404   | 026A6I0080100ML |
| DN 10 | 1/8"   | 34,00 | 14,00 | 19,00 | 28,00 | 1.4404   | 026A6I0100012ML |
|       | 1/4"   | 34,00 | 14,00 | 19,00 | 28,00 | 1.4404   | 026A6I0100025ML |
|       | 3/8"   | 34,00 | 14,00 | 30,00 | 40,00 | 1.4404   | 026A6I0100037ML |
|       | 1/2"   | 34,00 | 14,00 | 30,00 | 40,00 | 1.4404   | 026A6I0100050ML |
|       | 3/4"   | 34,00 | 14,00 | 30,00 | 40,00 | 1.4404   | 026A6I0100075ML |
|       | 1"     | 34,00 | 14,00 | 36,00 | 40,00 | 1.4404   | 026A6I0100100ML |
| DN 15 | 1/8"   | 34,00 | 18,10 | 19,00 | 28,00 | 1.4404   | 026A6I0150012ML |
|       | 1/4"   | 34,00 | 18,10 | 19,00 | 28,00 | 1.4404   | 026A6I0150025ML |
|       | 3/8"   | 34,00 | 18,10 | 30,00 | 40,00 | 1.4404   | 026A6I0150037ML |
|       | 1/2"   | 34,00 | 18,10 | 30,00 | 40,00 | 1.4404   | 026A6I0150050ML |
|       | 3/4"   | 34,00 | 18,10 | 30,00 | 40,00 | 1.4404   | 026A6I0150075ML |
|       | 1"     | 34,00 | 18,10 | 36,00 | 40,00 | 1.4404   | 026A6I0150100ML |
| DN 20 | 1/8"   | 34,00 | 20,00 | 19,00 | 28,00 | 1.4404   | 026A6I0200012ML |
|       | 1/4"   | 34,00 | 20,00 | 19,00 | 28,00 | 1.4404   | 026A6I0200025ML |
|       | 3/8"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026A6I0200037ML |
|       | 1/2"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026A6I0200050ML |
|       | 3/4"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026A6I0200075ML |
|       | 1"     | 34,00 | 20,00 | 36,00 | 40,00 | 1.4404   | 026A6I0200100ML |
| DN 25 | 1/8"   | 50,50 | 29,70 | 22,00 | 28,00 | 1.4404   | 026A6I0250012ML |
|       | 1/4"   | 50,50 | 29,70 | 22,00 | 28,00 | 1.4404   | 026A6I0250025ML |
|       | 3/8"   | 50,50 | 29,70 | 24,00 | 28,00 | 1.4404   | 026A6I0250037ML |
|       | 1/2"   | 50,50 | 29,70 | 27,00 | 28,00 | 1.4404   | 026A6I0250050ML |
|       | 3/4"   | 50,50 | 29,70 | 32,00 | 28,00 | 1.4404   | 026A6I0250075ML |
|       | 1"     | 50,50 | 29,70 | 36,00 | 28,00 | 1.4404   | 026A6I0250100ML |
|       | 1.1/4" | 50,50 | 29,70 | 46,00 | 45,00 | 1.4404   | 026A6I0250125ML |
|       | 1.1/2" | 50,50 | 29,70 | 46,00 | 45,00 | 1.4404   | 026A6I0250150ML |
| DN 32 | 1/8"   | 50,50 | 38,40 | 22,00 | 28,00 | 1.4404   | 026A6I0320012ML |
|       | 1/4"   | 50,50 | 38,40 | 22,00 | 28,00 | 1.4404   | 026A6I0320025ML |
|       | 3/8"   | 50,50 | 38,40 | 24,00 | 28,00 | 1.4404   | 026A6I0320037ML |
|       | 1/2"   | 50,50 | 38,40 | 27,00 | 28,00 | 1.4404   | 026A6I0320050ML |
|       | 3/4"   | 50,50 | 38,40 | 32,00 | 28,00 | 1.4404   | 026A6I0320075ML |
|       | 1"     | 50,50 | 38,40 | 36,00 | 28,00 | 1.4404   | 026A6I0320100ML |
|       | 1.1/4" | 50,50 | 38,40 | 46,00 | 45,00 | 1.4404   | 026A6I0320125ML |
|       | 1.1/2" | 50,50 | 38,40 | 46,00 | 45,00 | 1.4404   | 026A6I0320150ML |
| DN 40 | 1/8"   | 64,00 | 44,30 | 22,00 | 32,00 | 1.4404   | 026A6I0400012ML |
|       | 1/4"   | 64,00 | 44,30 | 22,00 | 32,00 | 1.4404   | 026A6I0400025ML |
|       | 3/8"   | 64,00 | 44,30 | 24,00 | 32,00 | 1.4404   | 026A6I0400037ML |
|       | 1/2"   | 64,00 | 44,30 | 27,00 | 32,00 | 1.4404   | 026A6I0400050ML |
|       | 3/4"   | 64,00 | 44,30 | 32,00 | 32,00 | 1.4404   | 026A6I0400075ML |
|       | 1"     | 64,00 | 44,30 | 41,00 | 32,00 | 1.4404   | 026A6I0400100ML |
|       | 1.1/4" | 64,00 | 44,30 | 50,00 | 40,00 | 1.4404   | 026A6I0400125ML |
|       | 1.1/2" | 64,00 | 44,30 | 54,00 | 40,00 | 1.4404   | 026A6I0400150ML |
|       | 2"     | 64,00 | 44,30 | 65,00 | 40,00 | 1.4404   | 026A6I0400200ML |

**ML**Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished

## ASTM A270 Flange design According to ASME-BPE

| Size   | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|--------|--------|-------|-------|-------|-------|----------|-----------------|
| 1/2"   | 1/8"   | 25,00 | 9,40  | 22,00 | 30,00 | 1.4404   | 026B600500012ML |
|        | 1/4"   | 25,00 | 9,40  | 22,00 | 30,00 | 1.4404   | 026B600500025ML |
|        | 3/8"   | 25,00 | 9,40  | 22,00 | 30,00 | 1.4404   | 026B600500037ML |
|        | 1/2"   | 25,00 | 9,40  | 22,00 | 38,00 | 1.4404   | 026B600500050ML |
| 3/4"   | 1/8"   | 25,00 | 15,75 | 22,00 | 30,00 | 1.4404   | 026B600750012ML |
|        | 1/4"   | 25,00 | 15,75 | 22,00 | 30,00 | 1.4404   | 026B600750025ML |
|        | 3/8"   | 25,00 | 15,75 | 22,00 | 30,00 | 1.4404   | 026B600750037ML |
|        | 1/2"   | 25,00 | 15,75 | 22,00 | 38,00 | 1.4404   | 026B600750050ML |
| 1"     | 1/8"   | 50,50 | 22,10 | 22,00 | 28,00 | 1.4404   | 026B601000012ML |
|        | 1/4"   | 50,50 | 22,10 | 22,00 | 28,00 | 1.4404   | 026B601000025ML |
|        | 3/8"   | 50,50 | 22,10 | 24,00 | 28,00 | 1.4404   | 026B601000037ML |
|        | 1/2"   | 50,50 | 22,10 | 27,00 | 31,00 | 1.4404   | 026B601000050ML |
|        | 3/4"   | 50,50 | 22,10 | 32,00 | 31,00 | 1.4404   | 026B601000075ML |
|        | 1"     | 50,50 | 22,10 | 36,00 | 34,00 | 1.4404   | 026B601000100ML |
| 1.1/2" | 1/8"   | 50,50 | 34,80 | 22,00 | 28,00 | 1.4404   | 026B601500012ML |
|        | 1/4"   | 50,50 | 34,80 | 22,00 | 28,00 | 1.4404   | 026B601500025ML |
|        | 3/8"   | 50,50 | 34,80 | 24,00 | 28,00 | 1.4404   | 026B601500037ML |
|        | 1/2"   | 50,50 | 34,80 | 27,00 | 31,00 | 1.4404   | 026B601500050ML |
|        | 3/4"   | 50,50 | 34,80 | 32,00 | 31,00 | 1.4404   | 026B601500075ML |
|        | 1"     | 50,50 | 34,80 | 36,00 | 34,00 | 1.4404   | 026B601500100ML |
| 2"     | 1.1/4" | 50,50 | 34,80 | 46,00 | 45,00 | 1.4404   | 026B601500125ML |
|        | 1/8"   | 64,00 | 47,50 | 22,00 | 30,00 | 1.4404   | 026B602000012ML |
|        | 1/4"   | 64,00 | 47,50 | 22,00 | 30,00 | 1.4404   | 026B602000025ML |
|        | 3/8"   | 64,00 | 47,50 | 24,00 | 30,00 | 1.4404   | 026B602000037ML |
|        | 1/2"   | 64,00 | 47,50 | 27,00 | 35,00 | 1.4404   | 026B602000050ML |
|        | 3/4"   | 64,00 | 47,50 | 32,00 | 35,00 | 1.4404   | 026B602000075ML |
|        | 1"     | 64,00 | 47,50 | 36,00 | 40,00 | 1.4404   | 026B602000100ML |
|        | 1.1/4" | 64,00 | 47,50 | 50,00 | 40,00 | 1.4404   | 026B602000125ML |
| 2.1/2" | 1.1/2" | 64,00 | 47,50 | 47,00 | 40,00 | 1.4404   | 026B602000150ML |
|        | 1/8"   | 77,40 | 60,20 | 22,00 | 37,00 | 1.4404   | 026B602500012ML |
|        | 1/4"   | 77,40 | 60,20 | 22,00 | 37,00 | 1.4404   | 026B602500025ML |
|        | 3/8"   | 77,40 | 60,20 | 24,00 | 37,00 | 1.4404   | 026B602500037ML |
|        | 1/2"   | 77,40 | 60,20 | 27,00 | 40,00 | 1.4404   | 026B602500050ML |
|        | 3/4"   | 77,40 | 60,20 | 32,00 | 40,00 | 1.4404   | 026B602500075ML |
|        | 1"     | 77,40 | 60,20 | 36,00 | 42,00 | 1.4404   | 026B602500100ML |
|        | 1.1/4" | 77,40 | 60,20 | 46,00 | 42,00 | 1.4404   | 026B602500125ML |
| 2.1/2" | 1.1/2" | 77,40 | 60,20 | 47,00 | 42,00 | 1.4404   | 026B602500150ML |


**ML**Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished

## DIN 32676

| Size  | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|-------|--------|-------|-------|-------|-------|----------|-----------------|
| DN 10 | 1/8"   | 34,00 | 10,00 | 19,00 | 30,00 | 1.4404   | 026B6D0100012ML |
|       | 1/4"   | 34,00 | 10,00 | 19,00 | 30,00 | 1.4404   | 026B6D0100025ML |
|       | 3/8"   | 34,00 | 10,00 | 30,00 | 40,00 | 1.4404   | 026B6D0100037ML |
|       | 1/2"   | 34,00 | 10,00 | 30,00 | 43,00 | 1.4404   | 026B6D0100050ML |
| DN 15 | 1/8"   | 34,00 | 16,00 | 19,00 | 30,00 | 1.4404   | 026B6D0150012ML |
|       | 1/4"   | 34,00 | 16,00 | 19,00 | 30,00 | 1.4404   | 026B6D0150025ML |
|       | 3/8"   | 34,00 | 16,00 | 30,00 | 40,00 | 1.4404   | 026B6D0150037ML |
|       | 1/2"   | 34,00 | 16,00 | 30,00 | 43,00 | 1.4404   | 026B6D0150050ML |
| DN 20 | 1/8"   | 34,00 | 20,00 | 19,00 | 30,00 | 1.4404   | 026B6D0200012ML |
|       | 1/4"   | 34,00 | 20,00 | 19,00 | 30,00 | 1.4404   | 026B6D0200025ML |
|       | 3/8"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026B6D0200037ML |
|       | 1/2"   | 34,00 | 20,00 | 30,00 | 43,00 | 1.4404   | 026B6D0200050ML |
| DN 25 | 1/8"   | 50,50 | 26,00 | 22,00 | 28,00 | 1.4404   | 026B6D0250012ML |
|       | 1/4"   | 50,50 | 26,00 | 22,00 | 28,00 | 1.4404   | 026B6D0250025ML |
|       | 3/8"   | 50,50 | 26,00 | 24,00 | 28,00 | 1.4404   | 026B6D0250037ML |
|       | 1/2"   | 50,50 | 26,00 | 27,00 | 31,00 | 1.4404   | 026B6D0250050ML |
|       | 3/4"   | 50,50 | 26,00 | 32,00 | 31,00 | 1.4404   | 026B6D0250075ML |
|       | 1"     | 50,50 | 26,00 | 36,00 | 34,00 | 1.4404   | 026B6D0250100ML |
|       | 1.1/4" | 50,50 | 26,00 | 46,00 | 45,00 | 1.4404   | 026B6D0250125ML |
| DN 32 | 1/8"   | 50,50 | 32,00 | 22,00 | 28,00 | 1.4404   | 026B6D0320012ML |
|       | 1/4"   | 50,50 | 32,00 | 22,00 | 28,00 | 1.4404   | 026B6D0320025ML |
|       | 3/8"   | 50,50 | 32,00 | 24,00 | 28,00 | 1.4404   | 026B6D0320037ML |
|       | 1/2"   | 50,50 | 32,00 | 27,00 | 31,00 | 1.4404   | 026B6D0320050ML |
|       | 3/4"   | 50,50 | 32,00 | 32,00 | 31,00 | 1.4404   | 026B6D0320075ML |
|       | 1"     | 50,50 | 32,00 | 36,00 | 34,00 | 1.4404   | 026B6D0320100ML |
|       | 1.1/4" | 50,50 | 32,00 | 46,00 | 45,00 | 1.4404   | 026B6D0320125ML |
| DN 40 | 1/8"   | 50,50 | 38,00 | 22,00 | 28,00 | 1.4404   | 026B6D0400012ML |
|       | 1/4"   | 50,50 | 38,00 | 22,00 | 28,00 | 1.4404   | 026B6D0400025ML |
|       | 3/8"   | 50,50 | 38,00 | 24,00 | 28,00 | 1.4404   | 026B6D0400037ML |
|       | 1/2"   | 50,50 | 38,00 | 27,00 | 31,00 | 1.4404   | 026B6D0400050ML |
|       | 3/4"   | 50,50 | 38,00 | 32,00 | 31,00 | 1.4404   | 026B6D0400075ML |
|       | 1"     | 50,50 | 38,00 | 36,00 | 34,00 | 1.4404   | 026B6D0400100ML |
|       | 1.1/4" | 50,50 | 38,00 | 46,00 | 45,00 | 1.4404   | 026B6D0400125ML |
| DN 50 | 1/8"   | 64,00 | 50,00 | 22,00 | 30,00 | 1.4404   | 026B6D0500012ML |
|       | 1/4"   | 64,00 | 50,00 | 22,00 | 30,00 | 1.4404   | 026B6D0500025ML |
|       | 3/8"   | 64,00 | 50,00 | 24,00 | 30,00 | 1.4404   | 026B6D0500037ML |
|       | 1/2"   | 64,00 | 50,00 | 27,00 | 35,00 | 1.4404   | 026B6D0500050ML |
|       | 3/4"   | 64,00 | 50,00 | 32,00 | 35,00 | 1.4404   | 026B6D0500075ML |
|       | 1"     | 64,00 | 50,00 | 36,00 | 40,00 | 1.4404   | 026B6D0500100ML |
|       | 1.1/4" | 64,00 | 50,00 | 50,00 | 40,00 | 1.4404   | 026B6D0500125ML |
|       | 1.1/2" | 64,00 | 50,00 | 47,00 | 40,00 | 1.4404   | 026B6D0500150ML |
|       |        |       |       |       |       |          |                 |



## ML


Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished

## ISO 1127

| Size  | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|-------|--------|-------|-------|-------|-------|----------|-----------------|
| DN 8  | 1/8"   | 34,00 | 10,30 | 19,00 | 30,00 | 1.4404   | 026B6I0080012ML |
|       | 1/4"   | 34,00 | 10,30 | 19,00 | 30,00 | 1.4404   | 026B6I0080025ML |
|       | 3/8"   | 34,00 | 10,30 | 30,00 | 40,00 | 1.4404   | 026B6I0080037ML |
|       | 1/2"   | 34,00 | 10,30 | 30,00 | 43,00 | 1.4404   | 026B6I0080050ML |
| DN 10 | 1/8"   | 34,00 | 14,00 | 19,00 | 30,00 | 1.4404   | 026B6I0100012ML |
|       | 1/4"   | 34,00 | 14,00 | 19,00 | 30,00 | 1.4404   | 026B6I0100025ML |
|       | 3/8"   | 34,00 | 14,00 | 30,00 | 40,00 | 1.4404   | 026B6I0100037ML |
|       | 1/2"   | 34,00 | 14,00 | 30,00 | 43,00 | 1.4404   | 026B6I0100050ML |
| DN 15 | 1/8"   | 34,00 | 18,10 | 19,00 | 30,00 | 1.4404   | 026B6I0150012ML |
|       | 1/4"   | 34,00 | 18,10 | 19,00 | 30,00 | 1.4404   | 026B6I0150025ML |
|       | 3/8"   | 34,00 | 18,10 | 30,00 | 40,00 | 1.4404   | 026B6I0150037ML |
|       | 1/2"   | 34,00 | 18,10 | 30,00 | 43,00 | 1.4404   | 026B6I0150050ML |
| DN 20 | 1/8"   | 50,50 | 23,70 | 22,00 | 28,00 | 1.4404   | 026B6I0200012ML |
|       | 1/4"   | 50,50 | 23,70 | 22,00 | 28,00 | 1.4404   | 026B6I0200025ML |
|       | 3/8"   | 50,50 | 23,70 | 24,00 | 28,00 | 1.4404   | 026B6I0200037ML |
|       | 1/2"   | 50,50 | 23,70 | 27,00 | 31,00 | 1.4404   | 026B6I0200050ML |
|       | 3/4"   | 50,50 | 23,70 | 32,00 | 31,00 | 1.4404   | 026B6I0200075ML |
|       | 1"     | 50,50 | 23,70 | 36,00 | 34,00 | 1.4404   | 026B6I0200100ML |
| DN 25 | 1/8"   | 50,50 | 29,70 | 22,00 | 28,00 | 1.4404   | 026B6I0250012ML |
|       | 1/4"   | 50,50 | 29,70 | 22,00 | 28,00 | 1.4404   | 026B6I0250025ML |
|       | 3/8"   | 50,50 | 29,70 | 24,00 | 28,00 | 1.4404   | 026B6I0250037ML |
|       | 1/2"   | 50,50 | 29,70 | 27,00 | 31,00 | 1.4404   | 026B6I0250050ML |
|       | 3/4"   | 50,50 | 29,70 | 32,00 | 31,00 | 1.4404   | 026B6I0250075ML |
|       | 1"     | 50,50 | 29,70 | 36,00 | 34,00 | 1.4404   | 026B6I0250100ML |
|       | 1.1/4" | 50,50 | 29,70 | 46,00 | 45,00 | 1.4404   | 026B6I0250125ML |
| DN 32 | 1/8"   | 50,50 | 38,40 | 22,00 | 28,00 | 1.4404   | 026B6I0320012ML |
|       | 1/4"   | 50,50 | 38,40 | 22,00 | 28,00 | 1.4404   | 026B6I0320025ML |
|       | 3/8"   | 50,50 | 38,40 | 24,00 | 28,00 | 1.4404   | 026B6I0320037ML |
|       | 1/2"   | 50,50 | 38,40 | 27,00 | 31,00 | 1.4404   | 026B6I0320050ML |
|       | 3/4"   | 50,50 | 38,40 | 32,00 | 31,00 | 1.4404   | 026B6I0320075ML |
|       | 1"     | 50,50 | 38,40 | 36,00 | 34,00 | 1.4404   | 026B6I0320100ML |
|       | 1.1/4" | 50,50 | 38,40 | 46,00 | 45,00 | 1.4404   | 026B6I0320125ML |
| DN 40 | 1/8"   | 64,00 | 44,30 | 22,00 | 30,00 | 1.4404   | 026B6I0400012ML |
|       | 1/4"   | 64,00 | 44,30 | 22,00 | 30,00 | 1.4404   | 026B6I0400025ML |
|       | 3/8"   | 64,00 | 44,30 | 24,00 | 30,00 | 1.4404   | 026B6I0400037ML |
|       | 1/2"   | 64,00 | 44,30 | 27,00 | 35,00 | 1.4404   | 026B6I0400050ML |
|       | 3/4"   | 64,00 | 44,30 | 32,00 | 35,00 | 1.4404   | 026B6I0400075ML |
|       | 1"     | 64,00 | 44,30 | 36,00 | 40,00 | 1.4404   | 026B6I0400100ML |
|       | 1.1/4" | 64,00 | 44,30 | 50,00 | 40,00 | 1.4404   | 026B6I0400125ML |
|       | 1.1/2" | 64,00 | 44,30 | 47,00 | 40,00 | 1.4404   | 026B6I0400150ML |




## ML

Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished

## ASTM A270 Flange design According to ASME-BPE

| Size   | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|--------|--------|-------|-------|-------|-------|----------|-----------------|
| 1/2"   | 1/8"   | 25,00 | 9,40  | 22,00 | 30,00 | 1.4404   | 026C600500012ML |
|        | 1/4"   | 25,00 | 9,40  | 22,00 | 30,00 | 1.4404   | 026C600500025ML |
|        | 3/8"   | 25,00 | 9,40  | 22,00 | 30,00 | 1.4404   | 026C600500037ML |
|        | 1/2"   | 25,00 | 9,40  | 22,00 | 38,00 | 1.4404   | 026C600500050ML |
| 3/4"   | 1/8"   | 25,00 | 15,75 | 22,00 | 30,00 | 1.4404   | 026C600750012ML |
|        | 1/4"   | 25,00 | 15,75 | 22,00 | 30,00 | 1.4404   | 026C600750025ML |
|        | 3/8"   | 25,00 | 15,75 | 22,00 | 30,00 | 1.4404   | 026C600750037ML |
|        | 1/2"   | 25,00 | 15,75 | 22,00 | 38,00 | 1.4404   | 026C600750050ML |
| 1"     | 1/8"   | 50,50 | 22,10 | 22,00 | 28,00 | 1.4404   | 026C601000012ML |
|        | 1/4"   | 50,50 | 22,10 | 22,00 | 28,00 | 1.4404   | 026C601000025ML |
|        | 3/8"   | 50,50 | 22,10 | 24,00 | 28,00 | 1.4404   | 026C601000037ML |
|        | 1/2"   | 50,50 | 22,10 | 27,00 | 31,00 | 1.4404   | 026C601000050ML |
|        | 3/4"   | 50,50 | 22,10 | 32,00 | 31,00 | 1.4404   | 026C601000075ML |
|        | 1"     | 50,50 | 22,10 | 36,00 | 34,00 | 1.4404   | 026C601000100ML |
| 1.1/2" | 1/8"   | 50,50 | 34,80 | 22,00 | 28,00 | 1.4404   | 026C601500012ML |
|        | 1/4"   | 50,50 | 34,80 | 22,00 | 28,00 | 1.4404   | 026C601500025ML |
|        | 3/8"   | 50,50 | 34,80 | 24,00 | 28,00 | 1.4404   | 026C601500037ML |
|        | 1/2"   | 50,50 | 34,80 | 27,00 | 31,00 | 1.4404   | 026C601500050ML |
|        | 3/4"   | 50,50 | 34,80 | 32,00 | 31,00 | 1.4404   | 026C601500075ML |
|        | 1"     | 50,50 | 34,80 | 36,00 | 34,00 | 1.4404   | 026C601500100ML |
| 2"     | 1.1/4" | 50,50 | 34,80 | 46,00 | 45,00 | 1.4404   | 026C601500125ML |
|        | 1/8"   | 64,00 | 47,50 | 22,00 | 30,00 | 1.4404   | 026C602000012ML |
|        | 1/4"   | 64,00 | 47,50 | 22,00 | 30,00 | 1.4404   | 026C602000025ML |
|        | 3/8"   | 64,00 | 47,50 | 24,00 | 30,00 | 1.4404   | 026C602000037ML |
|        | 1/2"   | 64,00 | 47,50 | 27,00 | 35,00 | 1.4404   | 026C602000050ML |
|        | 3/4"   | 64,00 | 47,50 | 32,00 | 35,00 | 1.4404   | 026C602000075ML |
|        | 1"     | 64,00 | 47,50 | 36,00 | 40,00 | 1.4404   | 026C602000100ML |
|        | 1.1/4" | 64,00 | 47,50 | 50,00 | 40,00 | 1.4404   | 026C602000125ML |
| 2.1/2" | 1.1/2" | 64,00 | 47,50 | 47,00 | 40,00 | 1.4404   | 026C602000150ML |
|        | 1/8"   | 77,40 | 60,20 | 22,00 | 37,00 | 1.4404   | 026C602500012ML |
|        | 1/4"   | 77,40 | 60,20 | 22,00 | 37,00 | 1.4404   | 026C602500025ML |
|        | 3/8"   | 77,40 | 60,20 | 24,00 | 37,00 | 1.4404   | 026C602500037ML |
|        | 1/2"   | 77,40 | 60,20 | 27,00 | 40,00 | 1.4404   | 026C602500050ML |
|        | 3/4"   | 77,40 | 60,20 | 32,00 | 40,00 | 1.4404   | 026C602500075ML |
|        | 1"     | 77,40 | 60,20 | 36,00 | 42,00 | 1.4404   | 026C602500100ML |
|        | 1.1/4" | 77,40 | 60,20 | 46,00 | 42,00 | 1.4404   | 026C602500125ML |
| 2.1/2" | 1.1/2" | 77,40 | 60,20 | 47,00 | 42,00 | 1.4404   | 026C602500150ML |


**ML**Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished

## DIN 32676

| Size  | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|-------|--------|-------|-------|-------|-------|----------|-----------------|
| DN 10 | 1/8"   | 34,00 | 10,00 | 19,00 | 30,00 | 1.4404   | 026C6D0100012ML |
|       | 1/4"   | 34,00 | 10,00 | 19,00 | 30,00 | 1.4404   | 026C6D0100025ML |
|       | 3/8"   | 34,00 | 10,00 | 30,00 | 40,00 | 1.4404   | 026C6D0100037ML |
|       | 1/2"   | 34,00 | 10,00 | 30,00 | 43,00 | 1.4404   | 026C6D0100050ML |
| DN 15 | 1/8"   | 34,00 | 16,00 | 19,00 | 30,00 | 1.4404   | 026C6D0150012ML |
|       | 1/4"   | 34,00 | 16,00 | 19,00 | 30,00 | 1.4404   | 026C6D0150025ML |
|       | 3/8"   | 34,00 | 16,00 | 30,00 | 40,00 | 1.4404   | 026C6D0150037ML |
|       | 1/2"   | 34,00 | 16,00 | 30,00 | 43,00 | 1.4404   | 026C6D0150050ML |
| DN 20 | 1/8"   | 34,00 | 20,00 | 19,00 | 30,00 | 1.4404   | 026C6D0200012ML |
|       | 1/4"   | 34,00 | 20,00 | 19,00 | 30,00 | 1.4404   | 026C6D0200025ML |
|       | 3/8"   | 34,00 | 20,00 | 30,00 | 40,00 | 1.4404   | 026C6D0200037ML |
|       | 1/2"   | 34,00 | 20,00 | 30,00 | 43,00 | 1.4404   | 026C6D0200050ML |
| DN 25 | 1/8"   | 50,50 | 26,00 | 22,00 | 28,00 | 1.4404   | 026C6D0250012ML |
|       | 1/4"   | 50,50 | 26,00 | 22,00 | 28,00 | 1.4404   | 026C6D0250025ML |
|       | 3/8"   | 50,50 | 26,00 | 24,00 | 28,00 | 1.4404   | 026C6D0250037ML |
|       | 1/2"   | 50,50 | 26,00 | 27,00 | 31,00 | 1.4404   | 026C6D0250050ML |
|       | 3/4"   | 50,50 | 26,00 | 32,00 | 31,00 | 1.4404   | 026C6D0250075ML |
|       | 1"     | 50,50 | 26,00 | 36,00 | 34,00 | 1.4404   | 026C6D0250100ML |
| DN 32 | 1/8"   | 50,50 | 32,00 | 22,00 | 28,00 | 1.4404   | 026C6D0320012ML |
|       | 1/4"   | 50,50 | 32,00 | 22,00 | 28,00 | 1.4404   | 026C6D0320025ML |
|       | 3/8"   | 50,50 | 32,00 | 24,00 | 28,00 | 1.4404   | 026C6D0320037ML |
|       | 1/2"   | 50,50 | 32,00 | 27,00 | 31,00 | 1.4404   | 026C6D0320050ML |
|       | 3/4"   | 50,50 | 32,00 | 32,00 | 31,00 | 1.4404   | 026C6D0320075ML |
|       | 1"     | 50,50 | 32,00 | 36,00 | 34,00 | 1.4404   | 026C6D0320100ML |
|       | 1.1/4" | 50,50 | 32,00 | 46,00 | 45,00 | 1.4404   | 026C6D0320125ML |
| DN 40 | 1/8"   | 50,50 | 38,00 | 22,00 | 28,00 | 1.4404   | 026C6D0400012ML |
|       | 1/4"   | 50,50 | 38,00 | 22,00 | 28,00 | 1.4404   | 026C6D0400025ML |
|       | 3/8"   | 50,50 | 38,00 | 24,00 | 28,00 | 1.4404   | 026C6D0400037ML |
|       | 1/2"   | 50,50 | 38,00 | 27,00 | 31,00 | 1.4404   | 026C6D0400050ML |
|       | 3/4"   | 50,50 | 38,00 | 32,00 | 31,00 | 1.4404   | 026C6D0400075ML |
|       | 1"     | 50,50 | 38,00 | 36,00 | 34,00 | 1.4404   | 026C6D0400100ML |
|       | 1.1/4" | 50,50 | 38,00 | 46,00 | 45,00 | 1.4404   | 026C6D0400125ML |
| DN 50 | 1/8"   | 64,00 | 50,00 | 22,00 | 30,00 | 1.4404   | 026C6D0500012ML |
|       | 1/4"   | 64,00 | 50,00 | 22,00 | 30,00 | 1.4404   | 026C6D0500025ML |
|       | 3/8"   | 64,00 | 50,00 | 24,00 | 30,00 | 1.4404   | 026C6D0500037ML |
|       | 1/2"   | 64,00 | 50,00 | 27,00 | 35,00 | 1.4404   | 026C6D0500050ML |
|       | 3/4"   | 64,00 | 50,00 | 32,00 | 35,00 | 1.4404   | 026C6D0500075ML |
|       | 1"     | 64,00 | 50,00 | 36,00 | 40,00 | 1.4404   | 026C6D0500100ML |
|       | 1.1/4" | 64,00 | 50,00 | 50,00 | 40,00 | 1.4404   | 026C6D0500125ML |
|       | 1.1/2" | 64,00 | 50,00 | 47,00 | 40,00 | 1.4404   | 026C6D0500150ML |



## ML

Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished

## ISO 1127

| Size  | T      | Ø A   | Ø Di  | CH    | L     | Material | Code            |
|-------|--------|-------|-------|-------|-------|----------|-----------------|
| DN 8  | 1/8"   | 34,00 | 10,30 | 19,00 | 30,00 | 1.4404   | 026C6I0080012ML |
|       | 1/4"   | 34,00 | 10,30 | 19,00 | 30,00 | 1.4404   | 026C6I0080025ML |
|       | 3/8"   | 34,00 | 10,30 | 30,00 | 40,00 | 1.4404   | 026C6I0080037ML |
|       | 1/2"   | 34,00 | 10,30 | 30,00 | 43,00 | 1.4404   | 026C6I0080050ML |
| DN 10 | 1/8"   | 34,00 | 14,00 | 19,00 | 30,00 | 1.4404   | 026C6I0100012ML |
|       | 1/4"   | 34,00 | 14,00 | 19,00 | 30,00 | 1.4404   | 026C6I0100025ML |
|       | 3/8"   | 34,00 | 14,00 | 30,00 | 40,00 | 1.4404   | 026C6I0100037ML |
|       | 1/2"   | 34,00 | 14,00 | 30,00 | 43,00 | 1.4404   | 026C6I0100050ML |
| DN 15 | 1/8"   | 34,00 | 18,10 | 19,00 | 30,00 | 1.4404   | 026C6I0150012ML |
|       | 1/4"   | 34,00 | 18,10 | 19,00 | 30,00 | 1.4404   | 026C6I0150025ML |
|       | 3/8"   | 34,00 | 18,10 | 30,00 | 40,00 | 1.4404   | 026C6I0150037ML |
|       | 1/2"   | 34,00 | 18,10 | 30,00 | 43,00 | 1.4404   | 026C6I0150050ML |
| DN 20 | 1/8"   | 50,50 | 23,70 | 22,00 | 28,00 | 1.4404   | 026C6I0200012ML |
|       | 1/4"   | 50,50 | 23,70 | 22,00 | 28,00 | 1.4404   | 026C6I0200025ML |
|       | 3/8"   | 50,50 | 23,70 | 24,00 | 28,00 | 1.4404   | 026C6I0200037ML |
|       | 1/2"   | 50,50 | 23,70 | 27,00 | 31,00 | 1.4404   | 026C6I0200050ML |
|       | 3/4"   | 50,50 | 23,70 | 32,00 | 31,00 | 1.4404   | 026C6I0200075ML |
|       | 1"     | 50,50 | 23,70 | 36,00 | 34,00 | 1.4404   | 026C6I0200100ML |
| DN 25 | 1/8"   | 50,50 | 29,70 | 22,00 | 28,00 | 1.4404   | 026C6I0250012ML |
|       | 1/4"   | 50,50 | 29,70 | 22,00 | 28,00 | 1.4404   | 026C6I0250025ML |
|       | 3/8"   | 50,50 | 29,70 | 24,00 | 28,00 | 1.4404   | 026C6I0250037ML |
|       | 1/2"   | 50,50 | 29,70 | 27,00 | 31,00 | 1.4404   | 026C6I0250050ML |
|       | 3/4"   | 50,50 | 29,70 | 32,00 | 31,00 | 1.4404   | 026C6I0250075ML |
|       | 1"     | 50,50 | 29,70 | 36,00 | 34,00 | 1.4404   | 026C6I0250100ML |
|       | 1.1/4" | 50,50 | 29,70 | 46,00 | 45,00 | 1.4404   | 026C6I0250125ML |
| DN 32 | 1/8"   | 50,50 | 38,40 | 22,00 | 28,00 | 1.4404   | 026C6I0320012ML |
|       | 1/4"   | 50,50 | 38,40 | 22,00 | 28,00 | 1.4404   | 026C6I0320025ML |
|       | 3/8"   | 50,50 | 38,40 | 24,00 | 28,00 | 1.4404   | 026C6I0320037ML |
|       | 1/2"   | 50,50 | 38,40 | 27,00 | 31,00 | 1.4404   | 026C6I0320050ML |
|       | 3/4"   | 50,50 | 38,40 | 32,00 | 31,00 | 1.4404   | 026C6I0320075ML |
|       | 1"     | 50,50 | 38,40 | 36,00 | 34,00 | 1.4404   | 026C6I0320100ML |
|       | 1.1/4" | 50,50 | 38,40 | 46,00 | 45,00 | 1.4404   | 026C6I0320125ML |
| DN 40 | 1/8"   | 64,00 | 44,30 | 22,00 | 30,00 | 1.4404   | 026C6I0400012ML |
|       | 1/4"   | 64,00 | 44,30 | 22,00 | 30,00 | 1.4404   | 026C6I0400025ML |
|       | 3/8"   | 64,00 | 44,30 | 24,00 | 30,00 | 1.4404   | 026C6I0400037ML |
|       | 1/2"   | 64,00 | 44,30 | 27,00 | 35,00 | 1.4404   | 026C6I0400050ML |
|       | 3/4"   | 64,00 | 44,30 | 32,00 | 35,00 | 1.4404   | 026C6I0400075ML |
|       | 1"     | 64,00 | 44,30 | 36,00 | 40,00 | 1.4404   | 026C6I0400100ML |
|       | 1.1/4" | 64,00 | 44,30 | 50,00 | 40,00 | 1.4404   | 026C6I0400125ML |
|       | 1.1/2" | 64,00 | 44,30 | 47,00 | 40,00 | 1.4404   | 026C6I0400150ML |



## ML

Int. finishing:  $Ra \leq 0,4 \mu m$  Machined FinishExt. finishing:  $Ra \leq 0,8 \mu m$  Mirror Polished